

True flat capacitive touch all in one pc

Model: YT156PC

Appearance




Specification

PC	
CPU Standard	Intel® Celeron J6412 quad core, 2.0 Ghz (formerly Elkhart Lake)
Chipset	Integrated intel Soc chipset
Memory	4 GB DDR3
Hard Drive Capacity	64 GB SSD
Graphics	CPU Integrated graphics HD Graphics and support 1080p HD photo quality
Audio	Realtek ALC662, High Definition Audio (HD), Line in, Line out with bluetooth
Network	1× Realtek RTL 8111E Gigabit Ethernet controller
Expansion	2x Mini-PCIE expansion slot, support WIFI/3G/4G/MSTA/GPS
Ports	4x USB
	1x HDMI
	1x VGA
	1x LAN
	1x EAR
	1x RS-232, 1x RS-485
	1x MIC
	1x WIFI
	1x Power DC

True flat capacitive touch all in one pc

Operation System	Win10 test version
LCD panel	
Panel size	15.6" widescreen
Display ratio	16: 9
Resolution	1920*1080
Brightness	250nits
Response time	15ms
Contrast ratio	1000:1
View angle	89°/89°/89°/89° (R/L/U/D)
Color	16.7M
Touch panel	
Touchscreen Type	10 points projective Capacitive touch
Touch Interface	USB
Touch response time	<8ms
Luminousness	75-85%
Protection	IP65 front panel
Power Supply	
External Power Supply	AC 100 - 240V
Working voltage	DC 12V
Power consumption	≤60W
Operating Environment	
Temperature range	operating: -10 to 60°C, storage :-20 to 70°C
Relative humidity	5%~95% @ 40° C, non-condensing
Vibration	5-500 Hz, 0.026 G ² /Hz, 2.16 Grms, X, Y, Z, 1 hour per axis
Packing Details	
Packing detail	1 panel PC in one carton
Weight (G.W.)	11 kg around per carton
Accessories	Power adapter, Wifi antenna, 4 piece Mounting Clamp + screws
Other	
Mounting	Provide wall brackets for wall-mounting, VESA 100×100mm, Embedded Screw Optional
Certification	CE, FCC, RoHS
Warranty	1 year warranty

True flat capacitive touch all in one pc



Contact information:

SINUS-ELEKTROTECHNIKAI BT.

Móra tér 17.

9028 Győr

HUNGARY

Email: info@s-e.hu

Web: www.s-e.hu